

Index

Note: Page numbers followed by f and t refer to figures and tables, respectively.

- Abuse prevention
 - child, 392–97
 - partner, 397–98
- Access to health care
 - improving, interventions studied
 - diabetes, 197–200
 - oral health, 310–15
 - social environment, 128–32
 - tobacco, 42–44
 - vaccine-preventable diseases, 231–33, 242–53, 259–61
 - recommended interventions applicable to
 - diabetes, 197–200
 - oral health, 310–12
 - tobacco, 42–44
 - vaccine-preventable diseases, 231–33, 242–53, 259–61
- Adapted/adapting, definition, 477
- Adolescents
 - interventions studied among
 - cancer, 154–56
 - diabetes, 203–7
 - motor vehicle occupant injury, 342–44, 350–52, 355–57, 360–63
 - oral health, 310–15
 - physical activity, 89–90, 91–92, 97–98
 - social environment, 122–25, 131–32
 - tobacco, 10–15, 20–23
 - vaccine-preventable diseases, 236–37, 249–51
 - violence, 401–4, 413–14
 - recommended interventions applicable to
 - diabetes, 203–5
 - motor vehicle occupant injury, 342–44, 350–52, 355–57, 360–63
 - oral health, 310–12
 - physical activity, 91–92
 - tobacco, 10–15
 - vaccine-preventable diseases, 236–37, 249–51
 - violence, 401–4
- Adults
 - interventions studied among
 - cancer, 150–52, 156–57, 162–66, 171–74
 - diabetes, 193–200, 201–5, 207–210
 - motor vehicle occupant injury, 333–41, 342–48, 349–50, 352–55, 360–63
 - oral health, 308–10, 314–16
 - physical activity, 83, 85–89, 92–96, 98–102
 - social environment, 122–25, 123f, 128–32
 - tobacco, 16–19, 27–32, 42–52
 - vaccine-preventable diseases, 231–36, 238–46, 259–61, 266–68
 - violence, 392–401, 406–14
 - recommended interventions applicable to
 - cancer, 150–52
 - diabetes, 193–200, 201–3
 - motor vehicle occupant injury, 333–40, 342–48, 349–50, 352–55, 360–63
 - oral health, 308–10
 - physical activity, 83, 85–88, 92–96, 100–102
 - social environment, 122–25
 - tobacco, 16–20, 27–32, 42–51
 - vaccine-preventable diseases, 231–36, 242–46, 259–61
 - violence, 392–97
- Adults, older. *See* Older adults
- Affordability of housing. *See* Housing
- Aggregate/aggregated studies, definition, 477
- Airbags, 342
- Alcohol beverage control (ABC) laws, 357

- Alcohol-impaired driving interventions, 348–63
 - 0.08% blood alcohol concentration (BAC) laws, 349–50
 - lower blood alcohol concentration (BAC) laws for young or inexperienced drivers, 355–57
 - mass media campaigns, 360–63
 - minimum legal drinking age laws, 350–52
 - sobriety checkpoints, 352–55
 - training for servers of alcoholic beverages, 357–60
- Ammunition bans, 406–7
- Analytic framework, definition, 433–34, 435f, 477
- Analytic horizon, 457, 460
- Applicability
 - assessment of, 442–43
 - definition, 477
 - recommendations regarding, 445
 - research questions on, 471
- Arm, intervention, definition, 480
- Assessment plus feedback, provider
 - for targeted vaccines, 276–77
 - for universally recommended vaccines, 256–58
- Automobile occupant injury. *See* Motor vehicle occupant injury
- Bans
 - on smoking, 48–51
 - on specified firearms or ammunition, 406–7
- Barriers to implementation
 - relationship to recommendations, 446
 - summarizing, 443
- Basal cell carcinoma, of skin, 144. *See also* Cancer, skin
- Before-and-after studies, definition, 477
- Benefit
 - net, 453
 - unintended, research questions on, 472
- Benefit-cost ratio, definition, 453, 477
- Blood alcohol concentration (BAC) laws
 - 0.08%, 349–50
 - for young or inexperienced drivers, 355–57
- Body of evidence
 - assessing and summarizing, 438–43, 441t
 - definition, 477
- Brady Handgun Violence Prevention Act, 408
- Breast cancer, screening for, 168, 173
- Cancer
 - oral and pharyngeal, preventing or controlling, 313–15, 318
 - screening, promoting informed decision making for, 167–74
 - methods, 170–71
 - objectives and recommendations from other advisory groups, 169–70, 170t
 - recommendations and findings, 171–74, 484t
 - skin
 - preventing by reducing exposure to ultraviolet radiation, 144–67
 - methods, 146, 147f
 - objectives and recommendations from other advisory groups, 145–46
 - recommendations and findings, 146, 148–66, 484t
 - risk factors for, 144–45
- Cardiovascular disease, 30, 80, 83, 85–86, 90, 99, 101, 193, 198, 201, 210
- Caries. *See* Dental caries
- Case management, diabetes, 191f, 197–200
- Cervical cancer, screening for, 169–70
- Child care setting
 - interventions studied in
 - cancer, 152–54
 - motor vehicle occupant injury, 339–41
 - social environment, 120–22
 - vaccine-preventable diseases, 236–37
 - recommended interventions applicable to
 - motor vehicle occupant injury, 339–40
 - social environment, 120–22
 - vaccine-preventable diseases, 236–37
- Children
 - interventions studied among
 - cancer, 148–50, 152–54, 162–64
 - diabetes, 197–200, 205–7
 - motor vehicle occupant injury, 339–41

- oral health, 310–13
- physical activity, 89–90, 91–92, 97–99
- social environment, 120–22
- tobacco, 51–52
- vaccine-preventable diseases, 236–37, 247–51, 252–53, 259–61
- violence, 392–97, 399–401, 404–5, 413–14
- recommended interventions applicable to
 - cancer, 148–50
 - diabetes, 197–200
 - motor vehicle occupant injury, 339–40
 - oral health, 310–12
 - physical activity, 91–92
 - social environment, 120–22
 - vaccine-preventable diseases, 236–37, 247–51, 252–53
 - violence, 392–97
- Clinical Guide. See also Guide to Clinical Preventive Services*
 - definition, 479
- Clinical setting, definition, 477
- Clinics. *See* Healthcare settings/providers/systems
- College setting
 - interventions studied in
 - cancer, 154–56
 - oral health, 315–16
 - physical activity, 86–88, 96–97
 - tobacco, 48–51
 - vaccine-preventable diseases, 236–37
 - recommended interventions applicable to
 - physical activity, 86–88
 - tobacco, 48–51
 - vaccine-preventable diseases, 236–37
- Colorectal cancer, screening for, 169, 173
- Community, definition, 477
- Community-based intervention, definition, 478
- Community Guide*
 - comprehensive prevention planning and, *xxix(t)*, *xxix–xxxiii*, *xxxi(f)*, *xxxiv(t)*
 - conventions used in book, *xxiii–xxiv*
 - definition, 479
 - description, *xxv–xxvi*
 - developers, *xxvi*
 - family of products, *xxvii–xxviii*
 - journal articles, *xxvii*
 - methods, 441–48
 - assessment and summarization of bodies of evidence, 438–43, 441t
 - assessment of individual studies, 438
 - definition and grouping of interventions, 435–36
 - development of conceptual models, 433–34, 434f, 435f
 - economic evaluations, 449–53, 451t. *See also* Economic evaluations
 - selection of interventions to evaluate, 436
 - selection of topics, 432
 - summarization of evidence gaps, 446–47
 - systematic review development team, *xxvi*, 432–33
 - definition, 481
 - systematic review of economic evaluations, 454–55
 - systematic search for and retrieval of evidence, 437–38
 - translation of evidence into recommendations, 444–46, 444t
 - quality assessment scale, 458
 - recommendations and findings, summary table, 484t–492t
 - reference case, definition, 478
 - research gaps, *xxxiii–xxxv*, 464–75
 - using findings, *xxviii(t)*, *xxviii–xxix*
 - website, *xxvii–xxviii*
- Community-oriented intervention, definition, 478
- Community setting
 - definition, 478
 - interventions studied in
 - cancer, 160–66
 - diabetes, 201–3
 - motor vehicle occupant injury, 335–40, 346–48, 352–55
 - oral health, 308–10, 312–13
 - physical activity, 83, 85–86, 94–96, 100–102
 - social environment, 122–25
 - tobacco, 16–19, 22–23, 25–26, 34–35, 51–52

- Community setting (*continued*)
 vaccine-preventable diseases,
 231–33, 238–39, 240–41
 recommended interventions applic-
 cable to
 diabetes, 201–3
 motor vehicle occupant injury, 335–
 40, 346–48, 352–55, 360–63
 oral health, 308–10
 physical activity, 83, 85–86, 94–96,
 100–102
 social environment, 122–25
 tobacco, 16–20, 48–51
 vaccine-preventable diseases, 231–33
- Comparison group, definition, 478
- Concealed weapons carry laws, 411–13
- Conceptual models
 development of, 433–34, 434f, 435f
 importance of, 465
- Consultants/consultation team, defi-
 nition, 478
- Coordination team, definition, 478
- Cost(s)
 in cost-effectiveness analysis,
 456–57, 456t
 definition, 461
 types, 450–51
- Cost analysis (CA), 449–51, 460
 definition, 478
- Cost-benefit analysis (CBA), 453, 460
 definition, 478
- Cost-effectiveness analysis (CEA), 452,
 456–57, 456t, 461
 definition, 478
- Cost-effectiveness (CE) ratio, 452,
 458–59
- Cost-of-illness (COI) estimates, 451
- Cost-saving, definition, 478
- Cost-utility analysis (CUA), 452–53,
 459, 461
 definition, 478
- Craniofacial injuries, sports-related,
 preventing or controlling,
 315–16, 318–19
- Culturally competent health care
 objectives and recommendations from
 other advisory groups, 117t, 119
 recommendations and findings,
 126–33
- Day care setting. *See* Child care setting
- Decision making, informed, for cancer
 screening, 167–74, 170t, 484t
- Delinquent adolescents, chronically,
 foster care for reduction of
 violence by, 401–4
- Dental caries, preventing or controlling,
 307–13, 317–18
- Detection
 cancer, 167–74
 oral health, 314–15
- Determinants, definition, 478
- Development team. *See* Systematic
 review development team
- Diabetes, 81, 90, 102, 188–211, 263
 methods, 189, 191f, 192f
 objectives and recommendations
 from other advisory groups,
 189, 190t
 recommendations and findings,
 189–210, 485t
 case management, 197–200
 disease management, 193–97
 healthcare system interventions,
 190–200
 self-management education,
 200–210
 use of recommendations, 210–11
- Diffusion, research questions on,
 472–73
- Diphtheria vaccination coverage,
 225–62. *See also* Vaccine-
 preventable diseases, univer-
 sally recommended vaccines
- Direct costs, 450
- Disability-adjusted life year (DALY),
 453
- Discounting, 453
- Disease management, diabetes, 191f,
 193–97
- Dissemination, research questions on,
 472–73
- Drinking age laws, minimum legal,
 350–52
- Driving, alcohol-impaired. *See* Alcohol-
 impaired driving interventions
- Econometric methods, definition, 478
- Economic costs, 461
- Economic efficiency
 definition, 478
 recommended interventions that
 report on
 diabetes, 195–96, 204–5
 motor vehicle occupant injury,
 353–54, 356, 362

- oral health, 309, 312
- physical activity, 94, 101–2
- social environment, 121–22
- tobacco, 12, 14–15, 18–19, 28, 31–32, 43–44, 46–47, 50
- vaccine-preventable diseases, 233, 235, 244, 246, 249, 251, 253, 255
- violence, 395–96, 403
- Economic evaluations, 443, 449–63
 - additional considerations in, 457–58
 - appropriateness of, 454
 - definition, 478
 - evidence gaps related to, 459–60
 - glossary of terms, 460–61
 - importance to health policy decision making, 449, 450t
 - interpretation and use of, 455–59, 456t
 - limitations of, 458–59
 - maximizing credibility and comparability of, 468
 - methods, 449–53, 451t
 - parameters of, 456–57, 456t
 - quality of, 458
 - relationship to recommendations, 446
 - research questions pertaining to, 473, 473t
 - systematic review of, 454–55
- Educational or informational interventions studied in. *See also* Mass media
 - child care/day care settings
 - cancer, 152–54
 - motor vehicle occupant injury, 337–42
 - social environment, 120–22
 - colleges
 - cancer, 154–55
 - physical activity, 96–97
 - community settings
 - diabetes, 201–3
 - physical activity, 83, 85–86, 100–102
 - healthcare settings
 - cancer, 158–60, 167–74
 - motor vehicle occupant injury, 335–37, 340–42
 - oral health, 312–13, 314–15
 - social environment, 130–32
 - tobacco, 37–40
 - vaccine-preventable diseases, 233–36, 239–40, 258–59, 266–67
 - homes or families
 - cancer, 162–64
 - diabetes, 203–5
 - tobacco, 51–52
 - recreational settings
 - cancer, 150–52
 - diabetes, 205–7
 - retail settings, tobacco, 23–25
 - schools
 - elementary
 - cancer, 148–50
 - diabetes, 209–10
 - physical activity, 89–90, 91–92, 97–98
 - middle or high
 - cancer, 154–55
 - diabetes, 209–10
 - physical activity, 89–90, 91–92, 97–98
 - tobacco, 12–15
 - worksite settings
 - diabetes, 207–8
 - motor vehicle occupant injury, 357–60
- Educational or informational recommended interventions
 - child care/day care settings
 - motor vehicle occupant injury, 339–40
 - social environment, 120–22
 - community settings
 - diabetes, 201–3
 - physical activity, 83, 85–86, 100–102
 - healthcare settings
 - motor vehicle occupant injury, 335–37
 - tobacco, 37–39
 - vaccine-preventable diseases, 233–36
 - homes or families, diabetes, 203–5
 - recreational settings, cancer, 150–52
 - schools
 - elementary
 - cancer, 148–50
 - physical activity, 91–92
 - middle or high, physical activity, 91–92
 - worksite settings, motor vehicle occupant injury, 357–60
- Effect, definition, 478
- Effect measure, definition, 479
- Effect size, definition, 479

- Effectiveness
- assessing applicability of, 442–43
 - definition, 479
 - external validity and, 468
 - internal validity and, 467–68
 - outcome measures of, 465–66
 - relationship to recommendations, 444–45, 444t
 - research questions pertaining to, 470–71
 - of specific interventions. *See specific interventions*
 - suitability of study design and, 467
 - summarizing evidence gaps related to, 446–47
 - summarizing evidence of, 438–42, 441t
- Elderly people. *See* Older adults
- Elementary schools. *See* Schools, elementary
- Environment
- physical. *See* Physical environment
 - social. *See* Social environment
- Evidence
- assessing and summarizing, 438–43, 441t
 - translating into recommendations, 444–46, 444t
- External validity, definition, 468, 479
- Facemasks, encouraging use of, 315–16, 318–19
- Families. *See also* Homes
- interventions studied in
 - diabetes, 203–5
 - physical activity, 98–99
 - social environment, 122–25
 - vaccine-preventable diseases, 240–41, 269
 - violence, 392–405
 - recommended interventions applicable to
 - diabetes, 203–5
 - social environment, 122–25
 - violence, 392–97, 401–4
- Final outcome, 461
- Financial costs, 450, 461
- Firearms laws, 405–17
- acquisition restrictions, 407–8
 - bans on specified firearms or ammunition, 406–7
 - child access prevention (CAP), 413–14
 - combinations, 416–17
 - objectives and recommendations
 - from other advisory groups, 388t, 389
 - registration of firearms and licensing of owners, 410–11
 - shall issue concealed weapons carry laws, 411–13
 - waiting periods for acquisition, 408–10
 - zero tolerance of firearms in schools, 414–16
- Fluoridation, water, community, 308–10
- Foster care, therapeutic. *See* Therapeutic foster care
- Glossary of terms
- economic, 460–61
 - general, 477–82
- Guide to Clinical Preventive Services (Clinical Guide)* xxv, xxviii, 5, 189, 340
- definition, 479
- Guide to Community Preventive Services. See Community Guide*
- Gun Control Act of 1968, 416–17
- Gun-Free Schools Act, 414–16
- Haemophilus influenzae* type b (Hib)
- vaccination coverage, 225–62.
- See also* Vaccine-preventable diseases, universally recommended vaccines
- Harms
- relationship to recommendations, 445–46
 - unintended, 466, 472
- Health, definition, 479
- Health care
- access to. *See* Access to health care
 - culturally competent. *See* Culturally competent health care
- Health indicator, definition, 479
- Health issues, prioritizing and setting objectives, xxx
- Health outcome, definition, 479
- Healthcare settings/providers/systems
- definitions, 479
 - interventions studied in
 - cancer, 158–60, 167–74
 - diabetes, 193–200
 - motor vehicle occupant injury, 335–37, 340–41

- oral health, 310–13, 314–15
- social environment, 127–33
- tobacco, 35–47
- vaccine-preventable diseases
 - (targeted), 266–68, 269, 273–74, 276–77, 277–80, 278t
- vaccine-preventable diseases
 - (universal), 231–36, 239–46, 254–59
- recommended interventions applicable to
 - diabetes, 193–200
 - motor vehicle occupant injury, 335–37
 - oral health, 310–12
 - physical activity, 86–88
 - tobacco, 35–39, 42–47, 48–51
 - vaccine-preventable diseases, 231–36, 242–46, 254–61, 273–74
- Healthy life year (HeaLY), 453
- Healthy People 2010* objectives
 - diabetes, 190t, 289
 - informed decision making for cancer screening, 169, 170t
 - motor vehicle occupant injury, 330, 331t
 - oral health, 305, 306t
 - physical activity, 81, 82t
 - skin cancer prevention, 145
 - social environment, 115–16, 116t–117t
 - tobacco control, 5, 6t–8t
 - vaccine-preventable diseases, 226, 227t–228t
 - violence, 387, 388t–389t
- Helmets, encouraging use of, 315–16, 318–19
- Hepatitis B vaccination coverage, 262–81. *See also* Vaccine-preventable diseases, targeted vaccines
- High schools. *See* Schools, middle or high
- Home visitation
 - early childhood, 390–401
 - to increase coverage with universally recommended vaccines, 252–53
 - to prevent intimate partner violence, 397–98
 - to prevent violence against child, 392–97
 - to prevent violence by visited children, 399–401
 - to prevent violence by visited parents, 398–99
- Homes. *See also* Families
 - interventions studied in
 - cancer, 162–64
 - diabetes, 203–5
 - physical activity, 98–99
 - social environment, 122–25
 - tobacco, 51–52
 - vaccine-preventable diseases, 252–53
 - violence, 392–405
 - recommended interventions applicable to
 - diabetes, 203–5
 - social environment, 122–25
 - tobacco, 48–51
 - vaccine-preventable diseases, 252–53
 - violence, 392–97, 401–4
- Hospitals. *See* Healthcare settings/providers/systems
- Housing
 - objectives and recommendations
 - from other advisory groups, 118–19
 - recommendations and findings, 122–26
- Implementation
 - barriers to, 442, 446
 - describing processes for, 468–69
 - research questions pertaining to, 472–73
- Incentives
 - for child safety seat use, 339–40
 - for targeted vaccines, 269
 - for universally recommended vaccines, 240–41
- Inclusion criteria, definition, 479
- Indirect costs, 450
- Influenza vaccination coverage, 262–81. *See also* Vaccine-preventable diseases, targeted vaccines
- Informed decision making (IDM), for cancer screening, 167–74
 - methods, 170–71
 - objectives and recommendations
 - from other advisory groups, 169–70, 170t

- Informed decision making (IDM), for cancer screening (*continued*)
 recommendations and findings, 171–74, 484t
- Injury prevention
 interventions studied
 motor vehicle occupant injury, 333–64
 oral health, 315–16
 social environment, 122–25
 violence, 392–417
 recommended interventions applicable to
 motor vehicle occupant injury, 333–40, 342–63
 social environment, 122–25
 violence, 392–97, 401–4
- Insufficient evidence to determine effectiveness, definition, 479
- Intangible costs, 450
- Intermediate outcome, definition, 461, 479
- Internal validity, definition, 467–68, 479
- Intervention(s). *See also specific interventions*
 applicability of
 assessment of, 442–43
 recommendations regarding, 445
 research questions on, 471
 defining and grouping, 435–36
 definition, 480
 effectiveness of. *See Effectiveness*
 implementing, *xxxi–xxxiii, xxxiv(t)*
 barriers to, 442, 446
 describing processes for, 468–69
 research questions pertaining to, 472–73
 multicomponent, 480
 research needs, 464–74
 cross-cutting, 469–73
 quality improvement, 464–69
 selecting for evaluation, 436, *xxx–xxxii, xxxi(f)*
 understudied, 466, *xxxiii–xxxv*
- Intervention arm, definition, 480
- Intervention group, definition, 480
- Journal articles, *xxvii*
- Juveniles. *See Adolescents; Children*
- Laws and policies
 interventions studied
 cancer, 148–55
 firearms, 406–17
 housing, 122–25
 motor vehicles, 333–35, 342–48, 349–52, 355–57
 oral health, 308–10
 tobacco control, 10–12, 16–23, 27–29, 48–51
 vaccine-preventable diseases, 236–37, 242–44, 259–61
- recommended interventions
 cancer, 148–52
 housing, 122–25
 motor vehicles, 333–35, 342–48, 349–52, 355–57
 oral health, 308–10
 tobacco control, 10–12, 27–29, 48–51
 vaccine-preventable diseases, 236–37, 242–44, 259–61
- Life-years saved, definition, 480
- Logic framework, definition, 433, 434f, 480
- Maltreatment, child, prevention, 392–97
- Managed care. *See Healthcare settings/providers/systems*
- Mass media
 interventions studied. *See also Educational or informational interventions studied*
 cancer, 160–62
 motor vehicle occupant injury, 337–38, 360–63
 physical activity, 83, 85–86, 88–89
 tobacco, 12–15, 29–35
 vaccine-preventable diseases, 238–39
- recommended interventions. *See also Educational or informational recommended interventions*
 motor vehicle occupant injury, 337–38, 360–63
 physical activity, 83, 85–86
 tobacco, 12–15, 29–32
- May issue concealed weapons carry laws, 411
- Measles vaccination coverage, 225–62.
See also Vaccine-preventable diseases, universally recommended vaccines
- Medical records, client-held, for universally recommended vaccines, 241–42

- Melanoma, 144. *See also* Cancer, skin
 Meta-analysis, 440
 Middle schools. *See* Schools, middle or high
- Minority populations
 interventions studied among
 diabetes, 193–200, 201–5
 motor vehicle occupant injury,
 339–40, 344–46
 physical activity, 86–88, 89–90,
 91–102
 social environment, 120–22,
 122–26, 127–33
 tobacco, 10–19, 27–32, 34–35,
 44–47
 vaccine-preventable diseases,
 231–36, 247–53
 violence, 392–401
 recommended interventions appli-
 cable to
 diabetes, 193–200, 201–5
 motor vehicle occupant injury,
 335–37, 339–40, 344–46
 oral health, 308–10
 physical activity, 83, 85–88, 91–96,
 100–102
 social environment, 120–22,
 122–25
 tobacco, 10–19, 27–32, 44–47
 vaccine-preventable diseases,
 231–36, 247–53
 violence, 392–97
- Motor vehicle occupant injury, 329–64
 methods, 332, 333f
 objectives and recommendations
 from other advisory groups,
 330–32, 331t
 recommendations and findings,
 332–63, 485t
 increasing child safety seat use,
 332–41
 increasing safety belt use,
 342–48
 reducing alcohol-impaired driving,
 348–63
 use of recommendations, 363–64
- Mouthguards, encouraging use of,
 315–16, 318–19
- Multicomponent intervention, defini-
 tion, 480
- Mumps vaccination coverage, 225–62.
See also Vaccine-preventable
 diseases, universally recom-
 mended vaccines
- National Highway Traffic Safety Ad-
 ministration, motor vehicle
 occupant injury goals, 330,
 331t
- National Instant Criminal Background
 Check System, 408
- National Oral Health Plan, 305
- Neglect, child, prevention, 392–97
- Net benefit, definition, 453, 480
- Net cost, definition, 451, 480
- Nicotine replacement therapy, reducing
 clients' out-of-pocket costs
 for, 42–44
- Occupation settings, interventions
 studied in
 cancer, 156–57
 diabetes self-management education,
 200–210
- Older adults
 interventions studied among
 cancer, 167–74
 diabetes, 201–5
 motor vehicle occupant injury,
 342–44
 physical activity, 92–96
 tobacco, 44–47
 vaccine-preventable diseases,
 231–33, 239–40, 241–42,
 252–53, 254–56, 259–61
 recommended interventions appli-
 cable to
 diabetes, 201–3
 motor vehicle occupant injury,
 342–44
 physical activity, 92–96
 tobacco, 44–47
 vaccine-preventable diseases,
 231–33, 242–44, 259–61
- Opportunity costs, 450–51
 definition, 461
- Oral cancer, preventing or controlling,
 313–15, 318
- Oral health, 304–19
 methods, 305, 307f
 objectives and recommendations
 from other advisory groups,
 305, 306t
 recommendations and findings, 305,
 306–16, 486t
 preventing or controlling dental
 caries, 307–13
 preventing or controlling oral and
 pharyngeal cancers, 313–15

- Oral health (*continued*)
 preventing or controlling sports-related craniofacial injuries, 315–16
 use of recommendations, 316–19
- Other effects
 definition, 480
 relationship to recommendations, 445–46
 summarizing, 442
- Outcome
 definition, 480
 final, 461
 health, definition, 479
 intermediate, definition, 461, 479
 recommendation, definition, 481
- Outcome measures, of effectiveness, 465–66
- Partner violence
 home visitation programs and, 394
 prevention, 397–98
- Percent, definition, 480
- Percentage point, definition, 480
- Perspective, economic, 456, 461
- Pertussis vaccination coverage, 225–62. *See also* Vaccine-preventable diseases, universally recommended vaccines
- Pharyngeal cancer, preventing or controlling, 313–15, 318
- Physical activity
 methods, 81, 83, 84f
 objectives and recommendations
 from other advisory groups, 81, 82t
 recommendations and findings, 83–102, 486t
 behavioral and social approaches, 90–99
 environmental and policy approaches, 99–102
 informational approaches, 83, 85–90
 use of recommendations, 102–4
- Physical environment
 interventions studied
 oral health, 308–10
 physical activity, 100–102
 social environment, 122–25
 tobacco, 48–52
 recommended interventions applicable to
 oral health, 308–10
 physical activity, 100–102
 social environment, 122–25
 tobacco, 48–51
- Pneumococcal polysaccharide vaccination coverage, 262–81. *See also* Vaccine-preventable diseases, targeted vaccines
- Point-of-decision prompts, physical activity, 86–88, 102
- Policy, definition, 480. *See also* Laws and policies
- Poliomyelitis vaccination coverage, 225–62. *See also* Vaccine-preventable diseases, universally recommended vaccines
- Poverty. *See* Socioeconomic status (SES), low
- Pregnancy
 diabetes disease management and, 195
 tobacco use cessation during, 46–47
- Prevention planning, comprehensive, *xxix(t)*, *xxix–xxxiii*, *xxxi(f)*, *xxxiv(t)*
- Primary schools. *See* Schools, elementary
- Productivity loss, definition, 461
- Program, definition, 480
- Prostate cancer, screening for, 168, 173
- Prostate-specific antigen test (PSA), 168
- Public health decision making, economic evaluations in. *See* Economic evaluations
- Public health interventions. *See* Intervention(s)
- Qualifying studies, definition, 480–81
- Quality-adjusted life year (QALY), 452, 459
 definition, 480
- Quality assessment scale, 458
- Quality criteria, definition, 481
- Quality improvement research needs, 464–69
- Radiation, ultraviolet, reducing exposure to, 144–67, 147f

- Recommendation outcome, definition, 481
- Recommendations, translating evidence into, 444–46, 444t
- Recreational setting
 - interventions studied in
 - cancer, 150–52, 162–64
 - diabetes, 205–7
 - oral health, 315–16
 - recommended interventions applicable to
 - cancer, 150–52
 - physical activity, 100–102
- Reminder and recall systems
 - for targeted vaccines
 - client, 267–68
 - provider, 273–74
 - for tobacco control, 35–39
 - for universally recommended vaccines
 - client, 229, 231–42
 - provider, 254–56
- Rental assistance programs, tenant-based, 122–25
- Research gaps, using, *xxxiii–xxxv*
- Research needs, 464–74
 - cross-cutting, 469–73
 - quality improvement, 464–69
- Retail/commercial settings
 - interventions studied in
 - motor vehicle occupant injury, 357–60
 - tobacco, 16–25
 - recommended interventions applicable to
 - motor vehicle occupant injury, 357–60
 - tobacco, 16–26, 48–51
- Risk compensation, in safety belt use, 343–44
- Risk factors, economic implications of, 457–58
- Rubella vaccination coverage, 225–62. *See also* Vaccine-preventable diseases, universally recommended vaccines

- Safe-Sun Project, 165
- Safety belt use, laws, 342–48
- Safety seat use, 332–41
- Schools
 - elementary
 - interventions studied in
 - cancer, 148–50
 - diabetes, 209–10
 - oral health, 310–13
 - physical activity, 89–90, 91–92, 97–98
 - vaccine-preventable diseases, 249–51
 - recommended interventions applicable to
 - cancer, 148–50
 - oral health, 310–12
 - physical activity, 91–92
 - vaccine-preventable diseases, 236–37, 249–51
 - middle or high
 - interventions studied in
 - cancer, 154–55
 - oral health, 310–13
 - physical activity, 89–90, 91–92
 - tobacco, 12–15
 - vaccine-preventable diseases, 249–51
 - violence, 414–16
 - recommended interventions applicable to
 - oral health, 310–12
 - physical activity, 91–92
 - tobacco, 12–15
 - vaccine-preventable diseases, 236–37, 249–51
- Sealant delivery programs, dental
 - school-based or school-linked, 310–12
 - statewide or community-wide, 312–13
- Secondary schools. *See* Schools, middle or high
- Self-management education, diabetes, 192f, 200–210
- Server intervention training programs, as alcohol-impaired driving intervention, 357–60
- Shall issue concealed weapons carry laws, 411–13
- Shared decision making (SDM), 167. *See also* Informed decision making (IDM)
- Skin cancer. *See* Cancer, skin
- Smoking. *See* Tobacco control
- Sobriety checkpoints, 352–55
- Social environment, 114–35
 - methods, 115f, 119

- Social environment (*continued*)
- objectives and recommendations
 - from other advisory groups, 115–19, 116t–117t
 - culturally competent health care, 117t, 119
 - early childhood development, 116t, 117–18
 - housing, 118–19
 - recommendations and findings, 119–33, 487t
 - culturally competent health care, 126–33
 - early childhood development, 120–22
 - housing, 122–26
 - use of recommendations, 133–34
- Socioeconomic status (SES), low interventions studied in populations with
- diabetes, 197–200
 - motor vehicle occupant injury, 335–40
 - oral health, 308–13
 - physical activity, 100–102
 - social environment, 120–22, 122–26, 130–31
 - tobacco, 27–29, 32–35, 42–44
 - vaccine-preventable diseases, 231–36, 240–41, 242–44, 247–49, 254–56
 - violence, 392–401
- recommended interventions applicable to
- diabetes, 197–200
 - motor vehicle occupant injury, 335–40
 - oral health, 308–12
 - physical activity, 100–102
 - social environment, 120–22, 122–25
 - tobacco, 27–29, 42–44
 - vaccine-preventable diseases, 231–36, 242–44, 247–49, 254–58
 - violence, 392–97
- Sports-related craniofacial injuries, preventing or controlling, 315–16, 318–19
- Squamous cell carcinoma, of skin, 144. *See also* Cancer, skin
- Standing orders
- for targeted vaccines, 275–76
 - for universally recommended vaccines, 259–61
- Strategy, definition, 481
- Strength of evidence
- assessing and summarizing, 438–42, 441t
 - relationship to recommendations, 444–45, 444t
- Strong evidence of effectiveness, definition, 481
- Sufficient evidence of effectiveness, definition, 481
- Suitability of study design, and effectiveness, 467
- Summer camps, diabetes self-management education in, 205–7
- Sunburn, skin cancer and, 145
- Sunlight, ultraviolet radiation from, reducing exposure to, 144–67
- Sustainability, research questions on, 472–73
- Systematic review, definition, 481
- Systematic review development team, 432–33, *xxvi*
- definition, 481
- Tailoring, definition, 481
- Target population, definition, 481
- Targeting, definition, 481
- Task Force on Community Preventive Services, *xxvi*, *xxvii*, *xxxv*, 54, 431–32, 436, 442, 444–46, 454, 459–60, 464, 466–67
- definition, 481
 - Guide to Community Preventive Services* published by. *See Community Guide*
- Team. *See* Systematic review development team
- Television viewing, classroom-based interventions, 97–98
- Tenant-based rental assistance programs, 122–25
- Tetanus vaccination coverage, 225–62. *See also* Vaccine-preventable diseases, universally recommended vaccines
- Therapeutic foster care, 401–5
- objectives and recommendations from other advisory groups, 387, 389
 - for reduction of violence by children with severe emotional disturbance, 404–5

- for reduction of violence by chronically delinquent adolescents, 401–4
- Time frame of economic study, 457, 461
- Time horizon, 457
- Tobacco control, 3–55
 - methods, 8, 9f
 - objectives and recommendations
 - from other advisory groups, 5, 6t–8t
 - recommendations and findings, 488t–489t
 - cessation, 26–47
 - environmental exposure, 47–52
 - initiation, 9–26
 - provider and system-based, 35–47
 - use of recommendations, 52–54
- Tooth decay, preventing or controlling, 307–13, 317–18
- Tourism setting. *See* Recreational setting
- Treating Tobacco Use and Dependence: Clinical Practice Guideline*, 5
- Ultraviolet radiation, reducing exposure to, 144–67, 147f. *See also* Cancer, skin
- University setting. *See* College setting
- U.S. Preventive Services Task Force (USPSTF), 5, 81, 145, 158, 167–70, 189, 200, 330
 - definition, 482
 - Guide to Clinical Preventive Services* published by, 479
- Vaccination programs, for universally recommended vaccines
 - child care centers, 251–52
 - schools, 249–51
 - WIC settings, 247–49
- Vaccination requirements
 - for targeted vaccines, 270
 - for universally recommended vaccines, 236–37
- Vaccine Information Statements, 239
- Vaccine-preventable diseases, 223–85
 - objectives and recommendations
 - from other advisory groups, 226–28, 227t–228t, 264
 - targeted vaccines, 262–81
 - enhancing access to, 270–72
 - increasing community demand for, 266–70
 - intervention combinations, 277–80, 277t
 - methods, 264–65
 - provider- or system-based interventions, 272–77
 - recommendations and findings, 265–80, 491t
- universally recommended vaccines, 225–62
 - enhancing access to, 242–53
 - increasing community demand for, 229, 231–42
 - methods, 228–29, 230f
 - provider- or system-based interventions, 253–61
 - recommendations and findings, 229–61, 490t
 - use of recommendations, 281–85, 282t
- Validity
 - external, definition, 468, 479
 - internal, definition, 467–68, 479
- Varicella vaccination coverage, 225–62. *See also* Vaccine-preventable diseases, universally recommended vaccines
- Video game playing, classroom-based interventions, 97–98
- Violence prevention, 385–419
 - methods, 389–90, 390f
 - objectives and recommendations
 - from other advisory groups, 386–89, 388t–389t
 - recommendations and findings, 390–417, 492t
 - early childhood home visitation, 390–401
 - firearms laws, 405–17
 - therapeutic foster care, 401–5
 - use of recommendations, 417–19
- Waiting periods, for firearm acquisition, 408–10
- Walking trails, 100–102
- Water fluoridation, community, 308–10
- Weapons laws. *See* Firearms laws
- Website, *Community Guide*, xxvii–xxviii
- WIC (Women, Infants, and Children), 233–34, 244, 395
 - settings, vaccination programs for universally recommended vaccines in, 247–49

Worksites

- interventions studied in
 - cancer, 156–57
 - diabetes, 207–8
 - motor vehicle occupant injury, 357–60
 - oral health, 314–15
 - physical activity, 83, 85–86, 92–94, 100–102
 - tobacco, 32–34, 48–51
- recommended interventions applicable to

- cancer, 150–52
- motor vehicle occupant injury, 357–60
- physical activity, 83, 85–88, 92–96, 100–102
- tobacco, 48–51

Zero tolerance

- blood alcohol concentration in young or inexperienced drivers, 355
- firearms in schools, 414–16